


A150



01

“EUROMODEL” FIXED LEVER WITH THREADED INSERT

Fixed clamping levers

Materials:

Special technopolymer reinforced with high-strength glass fiber.

Resistant to oils and greases.

Surface finish:

Satin.

Colour:

Black (RAL 9011).

Central cap:

Central cap in grey polyamide (RAL 7035).

Inserts:

Galvanised steel insert with threaded through hole (thread tolerance 6H).

Alternative cap colours:

Orange (RAL 2004 code 02).

Blue (RAL 5015 code 07).

Yellow (RAL 1021 code 10).

Red (RAL 3000 code 16).

Green (RAL 6024 code 17).

Black (RAL 9011 code 01).



BATECO
EUROMODEL
Copyright ©


Special requests:

Upon request balls and fixing springs (galvanised steel).

Upon request and for special quantities inserts can be supplied in different materials.

Upon request and for special quantities inserts can be supplied with a different treatment.

Upon request and for special quantities available in the colours indicated in the chart.



Code	Art.	L	R	D	H	h	h1	h2	h3	m	l	A	B	c	d2	d3	d4
A150068.0001	A150068.TM0601	84.5	68	33	37	25	27	11.5	9	12	24	20	17	10	20	16	4
A150068.0002	A150068.TM0801	84.5	68	33	37	25	27	11.5	9	12	24	20	17	10	20	16	4
A150068.0006	A150068.TM1001	84.5	68	33	37	25	27	11.5	9	12	24	20	17	10	20	16	4
A150086.0001	A150086.TM0801	104	86	36	40	28	29	14	12	13	26	24	19	11	22	18	5
A150086.0001	A150086.TM1001	104	86	36	40	28	29	14	12	13	26	24	19	11	22	18	5
A150086.0005	A150086.TM1201	104	86	36	40	28	29	14	12	13	26	24	19	11	22	18	5
A150112.0004	A150112.TM1201	134.5	112	45	47	36	35	14.5	12	16	32	30	24	13	26	23.5	6
A150112.0010	A150112.TM1401	134.5	112	45	47	36	35	14.5	12	16	32	30	24	13	26	23.5	6
A150112.0012	A150112.TM1601	134.5	112	45	47	36	35	14.5	12	16	32	30	24	13	26	23.5	6
A150142.0001	A150142.TM1401	169.5	142	55	52	40	36	18	13	17.5	40	37	30	16	32	28	8
A150142.0003	A150142.TM1601	169.5	142	55	52	40	36	18	13	17.5	40	37	30	16	32	28	8
A150142.0005	A150142.TM1801	169.5	142	55	52	40	36	18	13	17.5	40	37	30	16	32	28	8

Code	Art.	d16H	Q	Weight (g)
A150068.0001	A150068.TM0601	M6	16	42
A150068.0002	A150068.TM0801	M8	16	40
A150068.0006	A150068.TM1001	M10	16	40
A150086.0001	A150086.TM0801	M8	16	72
A150086.0001	A150086.TM1001	M10	16	71
A150086.0005	A150086.TM1201	M12	16	70
A150112.0004	A150112.TM1201	M12	24	99

Code	Art.	d1 6H	Q	Weight (g)
A150112.0010	A150112.TM1401	M14	24	98
A150112.0012	A150112.TM1601	M16	24	95
A150142.0001	A150142.TM1401	M14	27	240
A150142.0003	A150142.TM1601	M16	27	235
A150142.0005	A150142.TM1801	M18	27	230