


B320



02

HANDLE WITH TUBE D.20

Handle with tube

Materials:

Plastic end:

Reinforced polyamide. Resistant to oils and greases.

Tube:

Aluminum alloy 6060.

Surface finish:

Plastic end: Satin.

Tube: Smooth.

Colour:

Plastic end:

Black (Ral 9011).

Tube:

Version B320-99: Anodised silver.

Version B320-98: Marbled black epoxy powder coating.

Hole:


Smooth through hole obtained by moulding the plastic.

Special requests:

Upon request and for special quantities the handle can be supplied with custom length.

Upon request screw caps are available.


Upon request and for special quantities available in the colours indicated in the chart.



BOTECO
DESIGN & INNOVATION
Copyright ©



BOTECO
DESIGN & INNOVATION
Copyright ©



Version B320-99: tube colour anodised silver (1/2)

Code	art.	L	I±1	C	E	A	B	T	H	h	h1	h4	h3	h2	d	d3	d2
B320200.0002	B320200.TG2099	220	200	162	174	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320250.0002	B320250.TG2099	270	250	212	224	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320300.0002	B320300.TG2099	320	300	262	274	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320350.0002	B320350.TG2099	370	350	312	324	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320400.0002	B320400.TG2099	420	400	362	374	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320500.0002	B320500.TG2099	520	500	462	474	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320600.0002	B320600.TG2099	620	600	562	574	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320700.0002	B320700.TG2099	720	700	662	674	50	30	45	57	43	33	7	12.5	15	20	14.5	4

Code	art.	d1	Weight (g)	F1 (kN)	F2 (kN)
B320200.0002	B320200.TG2099	8.5	130	2,4	1,85
B320250.0002	B320250.TG2099	8.5	145	1,8	1,45
B320300.0002	B320300.TG2099	8.5	155	1,5	1,5
B320350.0002	B320350.TG2099	8.5	165	1,5	1,25
B320400.0002	B320400.TG2099	8.5	176	1,4	0,85
B320500.0002	B320500.TG2099	8.5	200	1	0,8
B320600.0002	B320600.TG2099	8.5	225	0,9	0,75
B320700.0002	B320700.TG2099	8.5	250	0,6	0,6

Version B320-98: tube colour marbled black. (1/2)

Code	art.	L	l±1	C	E	A	B	T	H	h	h1	h4	h3	h2	d	d3	d2
B320200.0001	B320200.TG2098	220	200	162	174	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320250.0001	B320250.TG2098	270	250	212	224	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320300.0001	B320300.TG2098	320	300	262	274	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320350.0001	B320350.TG2098	370	350	312	324	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320400.0001	B320400.TG2098	420	400	362	374	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320500.0001	B320500.TG2098	520	500	462	474	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320600.0001	B320600.TG2098	620	600	562	574	50	30	45	57	43	33	7	12.5	15	20	14.5	4
B320700.0001	B320700.TG2098	720	700	662	674	50	30	45	57	43	33	7	12.5	15	20	14.5	4

Code	art.	d1	Weight (g)	F1 (kN)	F2 (kN)
B320200.0001	B320200.TG2098	8.5	130	2,4	1,85
B320250.0001	B320250.TG2098	8.5	145	1,8	1,45
B320300.0001	B320300.TG2098	8.5	155	1,5	1,5
B320350.0001	B320350.TG2098	8.5	165	1,5	1,25
B320400.0001	B320400.TG2098	8.5	176	1,4	0,85
B320500.0001	B320500.TG2098	8.5	200	1	0,8
B320600.0001	B320600.TG2098	8.5	225	0,9	0,75
B320700.0001	B320700.TG2098	8.5	250	0,6	0,6