


B330



02

HANDLE WITH TUBE D.30

Handle with tube

Materials:

Plastic end:

Reinforced polyamide. Resistant to oils and greases.

Tube:

Aluminum alloy 6060.

Surface finish:

Plastic end: Satin.

Tube: Smooth.

Colour:

Plastic end:

Black (Ral 9011).

Tube:

Version B330-99: Anodised silver.

Version B330-98: Marbled black epoxy powder coating.

Hole:

Smooth through hole obtained by moulding the plastic.

Special requests:

Upon request and for special quantities the handle can be supplied with custom length.

Upon request screw caps are available.


Upon request and for special quantities available in the colours indicated in the chart.



BOTECO
BOTTING & COMPANY
Copyright ©



BOTECO
BOTTING & COMPANY
Copyright ©



Version B330-99: with tube colour anodised silver (1/2)

Code	art.	L	I ±1	C	E	A	B	T	H	h	h1	h4	h3	h2	d	d3	d2
B330200.0003	B330200.TG3099	224	200	154	164	60	40	54	77	58	43	12	15	19	30	16	4
B330250.0003	B330250.TG3099	274	250	204	214	60	40	54	77	58	43	12	15	19	30	16	4
B330300.0003	B330300.TG3099	324	300	254	264	60	40	54	77	58	43	12	15	19	30	16	4
B330350.0003	B330350.TG3099	374	350	304	314	60	40	54	77	58	43	12	15	19	30	16	4
B330400.0004	B330400.TG3099	424	400	354	364	60	40	54	77	58	43	12	15	19	30	16	4
B330500.0003	B330500.TG3099	524	500	454	464	60	40	54	77	58	43	12	15	19	30	16	4
B330600.0003	B330600.TG3099	624	600	554	564	60	40	54	77	58	43	12	15	19	30	16	4
B330700.0003	B330700.TG3099	724	700	654	664	60	40	54	77	58	43	12	15	19	30	16	4

Code	art.	d1	Weight (g)	F1 (kN)	F2 (kN)
B330200.0003	B330200.TG3099	10.5	235	3,4	2,9
B330250.0003	B330250.TG3099	10.5	250	3,8	3,2
B330300.0003	B330300.TG3099	10.5	270	3,2	2,9
B330350.0003	B330350.TG3099	10.5	285	2,7	2,4
B330400.0004	B330400.TG3099	10.5	305	2,4	2,2
B330500.0003	B330500.TG3099	10.5	340	1,9	1,7
B330600.0003	B330600.TG3099	10.5	370	1,6	1,4
B330700.0003	B330700.TG3099	10.5	405	1,4	1,25

Version B330-98: with tube colour marbled black. (1/2)

Code	art.	L	I±1	C	E	A	B	T	H	h	h1	h4	h3	h2	d	d3	d2
B330200.0002	B330200.TG3098	224	200	154	164	60	40	54	77	58	43	12	15	19	30	16	4
B330250.0002	B330250.TG3098	274	250	204	214	60	40	54	77	58	43	12	15	19	30	16	4
B330300.0002	B330300.TG3098	324	300	254	264	60	40	54	77	58	43	12	15	19	30	16	4
B330350.0002	B330350.TG3098	374	350	304	314	60	40	54	77	58	43	12	15	19	30	16	4
B330400.0003	B330400.TG3098	424	400	354	364	60	40	54	77	58	43	12	15	19	30	16	4
B330500.0002	B330500.TG3098	524	500	454	464	60	40	54	77	58	43	12	15	19	30	16	4
B330600.0002	B330600.TG3098	624	600	554	564	60	40	54	77	58	43	12	15	19	30	16	4
B330700.0002	B330700.TG3098	724	700	654	664	60	40	54	77	58	43	12	15	19	30	16	4

Code	art.	d1	Weight (g)	F1 (kN)	F2 (kN)
B330200.0002	B330200.TG3098	10.5	235	3,4	2,9
B330250.0002	B330250.TG3098	10.5	250	3,8	3,2
B330300.0002	B330300.TG3098	10.5	270	3,2	2,9
B330350.0002	B330350.TG3098	10.5	285	2,7	2,4
B330400.0003	B330400.TG3098	10.5	305	2,4	2,2
B330500.0002	B330500.TG3098	10.5	340	1,9	1,7
B330600.0002	B330600.TG3098	10.5	370	1,6	1,4
B330700.0002	B330700.TG3098	10.5	405	1,4	1,25